

26. (Twice Amended) A method for storing a communication charge, comprising the steps of:

receiving data related to charge and time from a communication network;

storing a communication charge in accordance with the data received from the communication network in a registration sequence; and

storing communication start time in accordance with the data received from the communication network.

27. (Twice Amended) A memory for storing a program comprising the steps of:

receiving data related to charge and time from a communication network;

storing a communication charge in accordance with the data received from the communication network in a registration sequence; and

storing communication start time in accordance with the data received from the communication network.

41. (Amended) The apparatus according to claim 25, wherein the communication charge and the communication start time is stored in accordance with the data received from the communication network after an authentication process in a registration sequence.

42. (Amended) The method according to claim 26, wherein the communication charge and the communication start time is stored in accordance with the data received from the communication network after an authentication process in a registration sequence.

43. (Amended) The memory according to the claim 27, wherein the communication charge and the communication start time is stored in accordance with the data received from the communication network after an authentication process in a registration sequence.

63
47. (Amended) A radio communication apparatus comprising:
receiving means for receiving data related to time from a communication network; and

storing means for storing communication start time in accordance with the data received from the communication network in a registration sequence.

C1
ent
48. (Amended) The apparatus according to claim 47, wherein said storing means stores the communication start time in accordance with the data received from the communication network after an authentication process in a registration sequence.

49. (Amended) A method for storing time, comprising the steps of:
receiving data related to time from a communication network;
storing communication start time in accordance with the data received from the communication network in a registration sequence.

50. (Amended) The method according to claim 49, wherein the communication start time is stored in accordance with the data received from the communication network after an authentication process in a registration sequence.

51. (Amended) A memory for storing a program comprising the steps of:
receiving data related to time from a communication network; and
storing communication start time in accordance with the data received from the communication network in a registration sequence.

52. (Amended) The memory according to claim 51, wherein the communication start time is stored in accordance with the data received from the communication network after an authentication process in a registration sequence.

Please ADD the following new claims:

--57. (New) A radio communication apparatus comprising:

receiving means for receiving data related to time from a communication network; and

storing means for storing communication end time in accordance with the data received from the communication network in a registration sequence.

58. (New) The apparatus according to claim 57, wherein said storing means stores the communication end time in accordance with the data received from the communication network after an authentication process in a registration sequence.

59. (New) A method for storing time, comprising the steps of:

receiving data related to time from a communication network; and

storing communication end time in accordance with the data received from the communication network in a registration sequence.

60. (New) The method according to claim 59, wherein the communication end time is stored in accordance with the data received from the communication network after an authentication process in a registration sequence.

61. (New) A memory for storing a program comprising the steps of:

receiving data related to time from a communication network; and

storing communication end time in accordance with the data received from the communication network in a registration sequence.

62. (New) The memory according to claim 61, wherein the communication end time is stored in accordance with the data received from the communication network after an authentication process in a registration sequence.

63. (New) A radio communication apparatus in a radio communication system in which a carrier provides the radio communication apparatus with radio communication services, the apparatus comprising:

detecting means for detecting a change from a first carrier to a second carrier during communication; and

storing means for storing a communication charge for the first carrier in accordance with the change detected by said detecting means.

64. (New) The apparatus according to claim 63, wherein said storing means stores communication start time for the second carrier.

65. (New) A method for a radio communication apparatus in a radio communication system in which a carrier provides the radio communication apparatus with radio communication services, the method comprising the steps of:

detecting a change from a first carrier to a second carrier during communication; and

storing a communication charge for the first carrier in accordance with the change detected in said detecting step.

66. (New) The method according to claim 65, wherein said storing step stores communication start time for the second carrier.--

REMARKS

Claims 1, 7, 12, 15, 16, 19-28, 31-33 and 35-56 are pending in this application. By this Amendment, Applicants have canceled claims 1, 7, 12, 15, 16, 19-24, 28, 31-33, 35-40, 44-46 and 53-56, amended claims 25-27, 41-43 and 47-52, and added claims 57-66. A marked-up copy of the amended claims showing deletions and additions using brackets and underlining,